	·		
	Application No.	46,285 KIM ET AL.	
Nedlas af Allamakilida	10/046,285		
Notice of Allowability	Examiner	Art Unit	
	Tuyet Vo	2821	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in this a i) or other appropriate communicati RIGHTS. This application is subject	application. If not includ on will be mailed in due	ded course. THIS
1. This communication is responsive to <u>September 02, 2004</u>	<u>1</u> .		
2. The allowed claim(s) is/are 1,2 and 5-24.			
3. The drawings filed on are accepted by the Examine	er.		
 4. Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have. 2. Certified copies of the priority documents have. 3. Copies of the certified copies of the priority documents have. 3. Copies of the certified copies of the priority documents have. 4. Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONITHIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submined in INFORMAL PATENT APPLICATION (PTO-152) which give the including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date 3, 6 8 (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in 7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT. 	re been received. re been received in Application No. recuments have been received in this recument. recuments have been received in the recuments have application. recuments have been received in the recuments have been received hav	is national stage application is national stage application is deficient. O-948) attached Office action of wings in the front (not the 1(d).	equirements NOTICE OF
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	Paper No./Mail D	ry (PTO-413), pate dment/Comment	ŕ
	P	TUYET VO RIMARY EXAMINER	l

Application/Control Number: 10/046,285

Art Unit: 2821

DETAIL ACTION

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as following:

The Figure 4 of drawings filed November 28, insert -- (PRIOR ART)--.

The above noted amendment has been added in order to provide clarification in the drawing.

Reasons For Allowance

- 2. Claims 1, 2 and 5-24 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: the prior art of record fails to disclose a plasma display panel comprising a pair of substrates, address electrodes, sustaining electrodes and barriers constructed in a manner as claimed in claims 1 and 21, in that, the barriers are arranged parallel to one another between the address electrodes; pairs of the barriers corresponding to two fluorescent layers of the R, G and B fluorescent layers are in the form of a stripe without bridges and a pair of the barriers corresponding to the other fluorescent layer include bridges extending in a longitudinal direction of the sustaining electrodes as a discharge cell unit. The prior art also lacks to support an interval between bridges in the discharge cell corresponding to the B fluorescent layer is larger than an interval between bridges in the discharge cell corresponding to the R fluorescent layer as required in claims 5 and 8 or a discharge red light as well as the discharge green light are designated for the second set and third set of discharge cells respectively as required in claim 12. The prior art does not provide each cell of the first set of discharge is separated from another adjacent cell of the first set of the

discharge cells by bridges while each cell of the second set of the discharge cells is contiguous with another adjacent cell of the second set of discharge cell as required in claim 9. The prior art also lacks to provide the surface area of each cell of a first set of discharge cells is larger than that of the second set of discharge cells as required in claim 14

4. The remaining dependent claims are allowable for at least above reason.

Correspondence

Any comments considered necessarily by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuyet Vo whose telephone number is 571 272 1830. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on 571 272 1834. The fax phone number for the organization where this application or proceeding assigned is 703 872 9306 for regular communications and for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703 308 0956.

Tuvet Vo

September 16, 2004